



101511060

CgC

Docket No.: SONYJP 3.3-1062  
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:  
*Sosumu Morioka*

Patent No.: 7,129,905

Issued: October 31, 2006

For: MULTIPLE BAND ANTENNA  
APPARATUS

Certificate  
AUG 06 2008  
of Correction

Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 CFR 1.323

Dear Sir:


Enclosed herewith is a Certificate of Correction with respect to the above-identified U.S. Patent. You are hereby authorized to charge Deposit Account No. 12-1095 in the amount of \$100 to cover the required fee for filing a Certificate of Correction under § 1.323.

These errors were inadvertent, occurred in good faith and do not involve any changes which constitute new matter.

We look forward to early return of the Certificate of Correction duly certified.

Dated: July 30, 2008

Respectfully submitted,

By   
Robert B. Cohen  
Registration No.: 32,768  
LERNER, DAVID, LITTENBERG,  
KRUMHOLZ & MENTLIK, LLP  
600 South Avenue West  
Westfield, New Jersey 07090  
(908) 654-5000

Attorney for Applicant

903107\_1.DOC

RECEIVED-USPTO  
Patent Publication

AUG 6 2008

08/05/2008 12:10:05 7129905

01 FC:1611 100.00 DA

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,129,905  
APPLICATION NO. : 10/511,060  
ISSUE DATE : October 31, 2006  
INVENTOR(S) : Sosumu Morioka

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Cover Page, (75), "Sosumu Morioka" should read --Susumu Morioka--  
Column 1, line 11, "equipment is normally" should read --equipment normally--  
Column 1, line 16, "installed." should read --installed onto.--  
Column 1, line 14, "supposed to be used" should read --to be used--  
Column 1, line 14, "separated" should read --separate--  
Column 1, line 30, "it in necessary" should read --it is necessary--  
Column 2, line 10, "as the" should read --of the--  
Column 2, line 14, "as the" should read --of the--  
Column 3, line 9, "in a FM" should read --in an FM--  
Column 5, line 34, "as the present" should read --as in the present--  
Column 5, line 37, "does not affect on the" should read --does not affect the--  
Column 5, line 43, "does not affect on the" should read --does not affect the--  
Column 6, line 18, "other then" should read --other than--  
Column 6, line 36, "and the like" should read --and the like,--  
Column 6, line 51, "shape such" should read --shape other than the cylindrical cross sectional shape, such--  
Column 6, line 52, delete "other than the cylindrical cross sectional shape"  
Column 7, line 2, "FIG. 5B" should read --FIG. 5B,--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Robert B. Cohen  
LERNER, DAVID, LITTENBERG, KRUMHOLZ & MENTLIK, LLP  
600 South Avenue West  
Westfield, New Jersey 07090

902788\_1.DOC

RECEIVED-USPTO  
Publication

AUG 6 2008

1